

INDEX MAPS.

T. 4N R. 5W 2nd Mer.

	398 399	398 399	397-398	397-398	397-398	397-399	
401	6	419	5	416	4	3	1 397
	420	418	415	412	411	408	2
401	7	418	8	415	9	411	10 407 11 404 12 396
	420	418	415	411	407	404	
401	18	417	17	414	16	410	15 407 14 403 13 396
	419	417	414	410	407	403	
400	19	417	20	414	21	410	22 406 23 403 24 395
	419	417	413	409	406	402	
400	30	416	29	413	28	409	27 406 26 402 25 395
	419	416	413	409	405	402	
399	31	416	32	413	33	409	34 405 35 401 36 395
	394	394	394	393	393	393	

T. 5N R. 5W 2nd Mer.

	428	428	427-429	427-429	427-429	427-429	
431	6	447	5	444	4	441	3 437 2 434 1 427
	448	447	444	440	437	434	
430	7	447	8	443	9	440	10 437 11 433 12 426
	448	446	443	440	436	433	
430	18	446	17	443	16	439	15 436 14 433 13 426
	448	446	443	439	436	432	
430	19	445	20	442	21	439	22 435 23 432 24 426
	449	445	442	438	435	432	
430	30	444	29	441	28	438	27 435 26 431 25 426
	449	444	441	438	434	431	
429	31	449	32	441	33	438	34 434 35 431 36 425
	424	424	423-425	423-425	423-425	423-425	

The figures on the lines refer to the page.

Township N. 4. North of Range N. 5 West of the 2nd Mer. Lu
ch. Lk.

South Boundary

N. 2° S On the South Boundary of Sec. 36. T. 4. N. R. 5 W.
30.00 To a Run 10 links wide, Course S.
31.00 " " Tick; a little South of the line
40.00 Set a post from which a
W. Oak. 15 in. dia. runs N 65° W. 16 links due; & a
Lo. 18 " " " N 32° E. 22 " "
Sands broken; Timber Oak, Hickory & a
79.00 To a Run 3 links wide, Course S.
80.00 Set a post for the cor. of Sec. 35 & 36. from which a
W. Oak. 25 in. dia. runs S 70° W. 25 links due; & a
Lo. 20 " " " S 27° E. 44 " "
Sands broken; Timber Oak, Hickory & a

N. 2° S On the South Boundary of Sec. 35. T. 4. N. R. 5 W.
19.00 To a Run. 10 links wide, Course S.
40.00 Set a post from which a
W. Oak. 24 in. dia. runs S 22° W. 8 links due; & a
Scrub Oak. 18 " " " N 22° E. 82 " "
Sands broken; Timber Oak, Hickory, & a
80.00 Set a post for the cor. of Sec. 34 & 35. from which a
Hickory 12 in. dia. runs S 76° W. 24 links due; & a
W. Oak. 24 " " " S 69° E. 85 " "
Sands broken; Timber Oak.

N. 2° S On the South Boundary of Sec. 34. T. 4. N. R. 5 W.
40.00 Set a post from which a
W. Oak. 18 in. dia. runs S 76° E. 54 links due; & a
Lo. 5 " " " West. 25 " "
Sands broken; Timber Oak, & a
80.00 Set a post for the cor. of Sec. 33 & 34 from which a
Hickory 12 in. dia. runs N 66° E. 10 links due; & a
W. Oak. 18 " " " S 27° W. 60 " "

T. N. 4. N. R. N. 5 W. 2nd Mer. Ind.Sand herb; Tintu Oak, Hick^y &c.

N. 2nd S. On the South Boundary of sec. 33. T. 4. N. R. 5 W.
 40.00 Set a 7th sec. post from which
 W. Oak. 10 in. dia. trees. N 74 W. 33 links dist; & c
 Lo. 18 " " " S 80 E. 20 " "
 80.00 Set a post for the cor of sec. 32 & 33 from which
 W. Oak. 24 in. dia. trees N 10 W. 60 links dist; & c
 Hick^y 12 " " " S 25 E. 60 " "
 Sand herb; Tintu Oak, Hick^y, &c. Met.

N. 2nd S. On the South Boundary of sec. 32. T. 4. N. R. 5 W.
 40.00 Set a 7th sec. post from which
 W. Oak. 18 in. dia. trees. S 45 E. 43 links dist; & c
 Lo. 24 " " " N 24 W. 53 " "
 80.00 Set a post for the cor of sec. 31 & 32 from which
 Hick^y 12 in. dia. trees. S 11 W. 13 links dist; & c
 Lo. 18 " " " N 31 E. 23 " "
 Sand broken; Tintu Oak, Hick^y & brushy

N. 2nd S. On the South Boundary of sec. 31. T. 4. N. R. 5 W.
 40.00 Set a 7th sec. post from which
 W. Oak. 24 in. dia. trees. S 89 W. 38 links dist; & c
 Lo. 24 " " " N 88 E. 94 " "
 85.50 Entered the N & S Range line 200 lbs. South
 of the post cor of T. 3 & 4 N. R. 5 & 6 W.
 Sand herb; Tintu Oak, Hick^y &c. Met;

Monday March, 25. 1805.

Corrected the Boundary line and established the posts
on the new line as above described

Note In running the range line blanks were left for
posts which were filled when connecting back the
Range line

East Boundary

North	On the East Boundary of sec. 36. T. 4. N. R. 5 W.
13.60	To a Run. 2 miles wide, Corner E. N.
19.80	To the bed of a Run. Corner E. & W.
40.00	Set a 7/8" post from which a Heik 12 in. dia. beam. S 26 N. 7 miles dist; 1/2 Do. 11 " " " N 64 E. 34 " " Land broken; Timber Oak, Heik 1/2.
80.00	Set a post for the cor. of sec. 25 & 36. from which a Heik 12 in. dia. beam. N 4 E. 40 miles dist; 1/2 W Oak. 18 " " " S 38 N. 100 " " Land broken; barrens; Timber Oak, Heik 1/2.
North	On the East Boundary of sec. 25. T. 4. N. R. 5 W.
40.00	Set a 7/8" post from which a W Oak. 20 in. dia. beam. S 58 N. 18 miles dist; 1/2 Do. 18 " " " S 72 E. 36 " " Land broken; Timber Oak, Heik 1/2.
72.50	To a W. Oak. 18 in. dia. in the line.
79.60	To the bed of a Run 2 miles wide, Corner S. E.
80.00	Set a post for the cor. of sec. 24. & 25 from which a W Oak. 20 in. dia. beam. N 72 N. 56 miles dist; 1/2 Do. 15 " " " S 41 E. 39 " " Land broken; Timber Oak, Heik 1/2 & Some Aspen.
North	On the East Boundary of sec. 24. T. 4. N. R. 5 W.
20.50	To the bed of a Run. Corner E.
40.00	Set a 7/8" post from which a W Oak. 18 in. dia. beam. S 24 E. 60 miles dist; 1/2 Do. 18 " " " N 27 N. 40 " " Land broken & open; Timber Oak.
80.00	Set a post for the cor. of sec. 13 & 24 from which a W. Jack 6 in. dia. beam. N 62 N. 65 miles dist; 1/2

T. N. 4. N. R. N. 5 W. 2nd Mer. Ind.

B. Jack. 4 in. dia. trees. N 84 W. 29 links dist;
 This half mile is barrens; full of weed Grape vines
 bushes; &c. hardly possible to pass thro it.

North On the East Boundary of Sec. 13. T. 4 N. R. 5 W.
 36.70 To a Run. 4 links side, Corner E. & W.
 40.00 Set a 1/4 sec post in barrens. From which
 W. Oak. 7 in. dia. trees. N 48 W. 10 links dist; &c.
 B. Jack 5 " " " S 84 E. 1.25 " "
 80.00 Set a post for the cor of sec. 12 & 13. From which
 W. Oak. 8 in. dia. trees. N 24 W. 47 links dist; &c.
 Co. 12 " " " N 66 W. 65 " "
 This mile is very bad barrens; few trees; almost
 impassable.

North On the East Boundary of Sec. 12. T. 4. N. R. 5 W.
 120.50 To a Run. 8 links side, Corner E.
 30.60 " " Co. 4 " " " E.
 37.70 Intersected Freeman's line or South Boundary of
 Harrison's Purchase in barrens.
 North From the cor. of sec. 12 & 13. Continued by A. Harrison
 40.00 Set 1/4 sec post in barrens.
 74.00 To a Brook. 10 links side, Corner S. & E.
 80.00 Set a post for the cor of sec. 1 & 12. From which
 W. Oak. 9 in. dia. trees. N 39 E. 52 links dist; &c.
 Co. 12 " " " S 73 W. 42 " "
 Land broken; & brushy

North On the East Boundary of Sec. 1. T. 4 N. R. 5 W.
 10.00 To a Brook. 8 links side, Corner S. W.
 40.00 Set a 1/4 sec post from which
 W. Oak. 12 in. dia. trees. S 79 W. 46 links dist; &c.
 Co. 12 " " " North 34 " "

397

T. N. 4. N. R. N. 5 W. 2nd Mer. Ind.

69.40 Set a post for the cor of Toms. 4 & 5 N. R. N. 4 & 5 W.
from which a W Oak. 20 in. diam. bears N 67 W. 64 the dist.
and a Co. 12 " " " S 61 E. 67 " "
Land rolling; Timber Oak, Hickory.

North Boundary.

West On a Random line On the N. Boundary of Sec. 36. T. 5 N. R. 5 W.
40.00 Set a temporary post
60.00 To a Brush thicket 25 chains wide.
80.00 Set a temporary post for the cor of Sec. 35 & 36.
Land brushy; Timber Oak, Hickory.

West On a Random line. On the South Boundary of Sec. 35. T. 5 N. R. 5 W.
25.00 Timbered land.
37.50 To a Brook 10 links wide, Corner S. W.
40.00 Set a temporary post.
57.00 To a Brook 12 links wide, Corner S.
80.00 Set a temporary post for the cor. of Sec. 34 & 35.
Land open.

West On a Random line On the South Boundary of Sec. 34. T. 5 N. R. 5 W.
40.00 Set a temporary post
80.00 " " " mile post for the cor of Sec. 33 & 34
Land level; Timber Oak, Hickory

West On a Random line On the South Boundary of Sec. 33. T. 5 N. R. 5 W.
40.00 Set a temporary post
82.96 Fell north of the corner established for the cor of Sec.
32 & 33. T. 5 N. R. 5 W.
Land rolling and brushy

East On a true line On the South Boundary of Sec. 32. T. 5 N. R. 5 W.
2.96 Set a post for the cor of Sec. 32 & 33. in a brush thicket

T. N. 4. N. R. N. 5 W. 2nd Mer. Ind.

No timber nigh; this spot is 4 miles from the East Boundary of T. 5 N. R. 5 W.

West	On the South Boundary of sec. 32. T. 5 N. R. 5 W. on the old boundary run by David Sanford.
40.00	Set a $\frac{1}{4}$ sec. post from which a Heck 10 in. diam. trees N 19 W. 28 links each; & a Do. 18 " " " N 12 E. 50 " "
43.76	To the old $\frac{1}{4}$ sec. cor.
80.00	Set a post for the cor. of sec. 31 & 32 from which a W Oak 10 in. diam. trees. N 30 E. 63 links each; & a B Oak 20 " " " S 54 W. 68 " "
West	Continued the Town line.
4.45	To the old corner. of sec. 31 & 32
40.00	Set a $\frac{1}{4}$ sec. post in a prairie.
95.00	To the town corner.
East	On the true line On the South Boundary of sec. 33. T. 5 N. R. 5 W. v. 7 th
40.00	Set the true $\frac{1}{4}$ sec. post on the true line from which a W Oak 12 in. diam. trees. S 37 W. 19 links each;
80.00	Set a post for the cor. of sec. 33 & 34 from which a B Oak 9 in. diam. trees. N 49 W. 35 links each; & a Do. 7 " " " " N 34 E. 21 " "
East	On the true line On the South Boundary of sec. 34. T. 5 N. R. 5 W.
40.00	Set the true $\frac{1}{4}$ sec. post on the true line from which a B Oak 6 in. diam. trees. S 49 E. 13 links each; & a Heck 1. 10 " " " " N 6 W. 35 " "
80.00	Set a post for the cor. of sec. 34 & 35 from which a B Oak 10 in. diam. trees. N 39 W. 35 links each;
East	On the true line On the South Boundary of sec. 35. T. 5 N. R. 5 W.

40.00 Set the trumpet $7\frac{1}{4}$ sec. post on the true line from which a
N. Oak. 10 in. diam. trees. N 18 W. 30 miles dist; & a
Do. 18 " " " S 76 W. 15 " "
80.00 Set the trumpet post on the true line for the cor. of sec. 35 & 36 from
which a N. Oak. 7 in. diam. trees. S 72 E. 60 miles dist;

East On the true line on the South Boundary of sec. 36 T. 5. N. R. 5 W.

40.00 Set the trumpet $7\frac{1}{4}$ sec. post on the true line from which a
N. Oak. — in diam. trees. N 34 E. 12 miles dist; &
N. Oak. 10 " " " S 66 E. 26 " "

80.00 Set the cor. of T. 4 & 5 N. R. 4 & 5 W.

Surveyed by

Arthur Kenrie D.S.

E 2 $\frac{1}{2}$ N On the South Boundary of sec. 31 T. 5 N. R. 5 W.

49.50 Set the $\frac{1}{4}$ sec. post in a prairie about 2 miles in diam.

89.50 Set a post for the cor. of sec. 31 & 32 from which a
Yum. 9 in. diam. trees. N 20 W. 40 miles dist; & a
Oak. 8 " " " N 42 E. 92 " "

This mile for the greatest part in the prairie.

E 2 $\frac{1}{2}$ N On the South Boundary of sec. 32 T. 5 N. R. 5 W.

40.00 Set the $\frac{1}{4}$ sec. post from which a

N. Oak. 18 in. diam. trees. N 69 W. 50 miles dist; & a

Heiky 9 " " " East 12 " "

Grass & brush & Grassy; Smith Oak, Heiky 7. $\frac{1}{2}$.

80.00 Set a post for the cor. of sec. 32 & 33 from which a

Heiky 8 in. diam. trees. N 56 W. 1.48 miles dist;

Grass & brush. $\frac{1}{2}$ L. Sanford. D.S.

West Boundary.

North On the East Boundary of sec. 36 T. 4. N. R. 6 W.

40.00 Set a $\frac{1}{4}$ sec. post in prairie.

T. N. 4. N.R. N. 5 W. 2nd Mer. Ind.

45.00	To the Edge of Woods.
66.00	To a Hickory 18 in. diam. Stands in the line.
80.00	Set a post for the cor. of sec. 25 & 36 from which a W. Oak 30 in. diam. bears N 59 W. 19 links due; & a Hickory 12 " " " N 33 E. 23 " " Sand hole; Tumble Oak, Hickory & c.
North	On the Boundary of sec. 25. T. 4. N.R. 6 W.
40.00	Set a post from which a W. Oak 21 in. diam. bears S 38 E. 20 links due; & a Do. 18 " " " N 22 W. 9 " "
53.90	To a W. Oak 20 in. diam. in the line.
60.00	To a Brook 12 rods wide, Comes N 30 W.
62.50	" " " 70 " " " N 50 W.
66.90	" " " 4 W. Oak 22 in. diam. in the line
80.00	Set a post for the cor. of sec. 24 & 25 from which a Oak 13 in. diam. bears N 72 W. 18 links due; & a Sand hole part bottom; & c.; Tumble Oak, Maple & Hickory March 4 th 1805.

North	On the East Boundary of sec. 24. T. 4. N.R. 6 W.
20.00	To a W. Oak 23 in. diam. Stands in the line.
40.00	Set a post from which a Hickory 16 in. diam. bears N 65 W. 43 links due; & a Do. 12 " " " S 82 E. 3 " "
51.90	To a W. Oak 20 in. diam. Stands in the line.
63.20	To a Red. Oak 15 in. diam. in the line.
77.50	" " " Branch. 20 rods wide, Comes S 22 W.
80.00	Set a post for the cor. of sec. 13 & 24 from which a W. Oak 7 in. diam. bears S 11 E. 48 links due; & a Do. 9 " " " N 37 E. 13 " " Sand hole in low ridges; Tumble Oak, Maple & c.

401

T. N. 4. N. R. N. 5. 2nd Mer. Ind.

North On the East Boundary of Sec. 13. T. 4. N. R. 6th.
 2.00 To a Branch 20 links wide house S 10 E.
 20.00 " " 20 " " " S 10 W.
 40.00 Set a 7/8 in post in a prairie
 80.00 Set a post for the cor. of Sec. 12 & 13 in prairie
 Sand herb; Green Oak, & Sassafras Bush.

North On the East Boundary of Sec. 12 T. 4. N. R. 6th
 20.00 To Wood land;
 20.25 To a Oak, 20 in. diam. in the line
 40.00 Set a 7/8 in post from which
 N Oak. 30 in. diam. bears N 72 E. 34 links each, & 1/2
 W Oak. 18 " " " S 73 W. 50 " "
 57.50 To a Branch, 5 links wide house S 60 E.
 80.00 Set a post for the cor. of Sec. 1 & 12 from which
 W Oak. 22 in. diam. bears S 73 W 7 links each, & 1/2
 Gum. 12 " " " N 43 E. 13 " "
 Sand herb; Timber Oak, Hickory, Gum, &c.

North On the East Boundary of Sec. 1. T. 4. N. R. 6th.
 40.00 Set a 7/8 in post from which
 N Oak. 22 in. diam. bears S 40 E. 77 links each, & 1/2
 Hickory 13 " " " N 60 W. 78 " "
 50.00 To the edge of a Large prairie
 67.00 To a Branch, 6 links wide, house N 50 W.
 80.00 Set a post for the cor. of Secs. 4 & 5 N. R. 5 & 6 W.
 Sand herb 50 ch.; Green Oak Hickory.

Surveyed by
 Robt. Stubbs & Jacob Fowler, J. S.

Subdivisions

North Between Sec. 35 & 36. T. 4. N. R. 5th
 40.00 Set a 7/8 in post from which

T. N. H. N. R. N. 5 W. 2nd Mm. Ind.

W. Oak. 24 in. diam. beams. S 8 W. 28 links each; 1st 3
 Lp. 14 " " " N 58 E. 24 " "
 Sunde broken; 2nd rate; Tumble Oak, Heik, Hog-
 wood & 1/2.
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which
 W. Oak. 10 in. diam. beams. N 21 E. 6 links each; 1st 3
 Lp. 6 " " " S 31 W. 8 " "
 Sunde broken; 1st 3rd rate; Tumble Oak, Heik, Aspen & 1/2.

West Between Sec. 25 & 36. T. 4. N. R. 5 W.
 19.15 To a Run. 3 links mid, Course S.
 40.00 Set a 1/4 post from which
 W. Oak. 15 in. diam. beams. N 55 W. 36 links each; 1st 3
 Lp. 18 " " " S 56 E. 19 " "
 Sunde broken; Tumble Oak, Hog wood, & 1/2.
 80.00 Enter at the N & S line at the post cor. of sec. 25, 26,
 35 & 36. Sunde broken; Tumble Oak, & 1/2.

North Between Sec. 25 & 26. T. 4. N. R. 5 W.
 40.00 Set a 1/4 post from which
 W. Oak. 18 in. diam. beams. S 65 E. 26 links each; 1st 3
 Lp. 15 " " " N 56 W. 55 " "
 Sunde broken; goods 3rd rate; Tumble Oak, & 1/2.
 49.00 To a W. Oak. 18 in. diam. stands in the line.
 58.00 To a Run. 10 links mid, Course W.
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
 W. Oak. 8 in. diam. beams. South 49 links each; 1st 3
 W. Oak. 5 " " " N 16 W. 18 " "
 Sunde broken; 1st 3rd rate; Tumble Oak, Heik, Aspen
 Hog wood & 1/2.

East Between Sec. 24 & 25 T. 4. N. R. 5 W.

T. N. 4. N. R. N. 5 W 2nd Mer. Sec. 5

20.50	Locum. 5 links mid Course S.W.
40.00	Set a 7/4 cu. post from which a 73. Jack 7 in. dia. trans. S69 N. 16 links dist; day Ho. 7 " " N33 E. 21 " " Limit to Heik 7, 13 Jack, & 5
80.00	Intersect the N. 5 line at the post cor of sec. 24 & 25 on the East Range line. Broken Oak lands.
North	Between Sec. 23 & 24 T. 4. N. R. 5 W
40.00	Set a 7/4 cu. post from which a W Oak 36 in. dia. trans. S85 E. 38 links dist; day Heik 7 6 " " N43 W. 26 " "
80.00	Set a post for the cor 13, 14, 23 & 24 from which a 73 Oak. 5 in. dia. trans. N8 E. 54 links dist; day W Oak. 18 " " N80 W. 2. 50 " " Sand broken; Warren; Limit Oak.
East	Between Sec. 13 & 24 T. 4. N. R. 5 W.
40.00	Set a 7/4 cu. post from which a 73 Oak. 6 in. dia. trans. S69 N. 44 links dist; day Ho. 10 " " N24 E. 21 " " 73 Jack. Oak. & 5.
80.00	Intersect the East Boundary — cor of sec. 13 & 24. This with Warren; Limit 73. Jack & 5 trans, Heik 7, & 5
North	Between Sec. 13 & 14 T. 4. N. R. 5 W
40.00	Set a 7/4 cu. post from which a 73 Oak. 5 in. dia. trans. N33 W. 135 links dist; day Sand Warren.
80.00	Set a post for the cor of sec. 11, 12, 13, & 14 from which a W Oak. 18 in. dia. trans N10 W. 150 links dist, day

T. N. 4. N. R. N. 577. 2nd Mer. Sur.

Heik 712 in. diam. trans. 985 W. 9.3 links dist;
 Sand barrens interspersed with a little timber

West Between Lat 12 & 13. T. 4. N. R. 577

40.00 Set a 74 capst from which.

N Oak. 4 in. diam. trans. 881 E. 41 links dist; 1 a

He. 7, " " N 127 W 10 " "

Sand barrens and very bushy

80.00 Set a lat the N 13 line at the cor of lat. 11. 12. 13 & 14

Sand barrens open & bushy; Heik 6. 1/2

North Between Lat 11 & 12 T. 4. N. R. 577

40.00 Set a 74 capst from which.

Heik 712 in. diam. trans. N 56 W. 100 links dist; 8 a

N Oak. 15 " " " N 36 E. 110 " "

Sand barrens; Heik Oak, Heik 7 Bush 1/2

69.54 Set a lat the Indian Boundary line and set a
 post for the cor of lat. 11 & 12 from which a

N Oak 30 in. diam. trans. N 53 W. 41 links dist; 1/2

Heik 8 " " " S 19 E. 47 " "

Sand barrens

T. N. 4. N. R. N. 5 W. 2nd Mer. Sur.

North Return Sur. 34 & 35. T. 4. N. R. 5 W.

7.50 To a Run. 10 links. mid, Course E.

40.00 Set a 7th sw. post from which a

W. Oak. 30 in. diam. trunk. N 19 E. 19 links dist. to

do. 20 " " " S 39 W. 60 " "

Land broken 2nd rate, Timber Oak, Hemlock.

80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
a Hemlock 8 in. diam. trunk. S 10 W. 39 links dist. to

B. Oak. 20, " " S 78 E. 41 " "

Land broken; Timber Oak, Hemlock.

West Return Sur. 26 & 35. T. 4. N. R. 5 W.

T. N. 4. N.R. N. 5 W. 2nd Mer. Ind.

- 40.00 Set a 7th sap post from which a
W Oak. 6 in. dia: trees. N 69 E. 23 limbs dia: & a
Yum. 15 " " " S 70 W 23 " "
Tumble Oak, Dogwood, Hickory, Gum &c.
49.50 To a Run 10 limbs dia: Corner S.
80.00 Enter at the N & S line at the post cor. of Sec. 26, 27.
34 & 35.

- North Return Sec. 26 & 27 T. 4. N. R. 5 W.
40.00 Set a 7th sap post from which a
W Oak. 24 in. dia: trees. North. 1.42 lbs dia:
Lands barrow
80.00 Set a post for the cor. of sec. 22, 23, 26, & 27 from which
B Oak. 18 in. dia: trees. S 84 E. 47 limbs dia: & a
P Oak. 24 " " " South 10 " "
Lands barrow; Tumble Oak.

- East Return Sec. 23 & 26 T. 4. N. R. 5 W.
40.00 Set a 7th sap post from which a
W Oak. 15 in. dia: trees. N 65 W. 16 limbs dia: & a
Ho. 15 " " " S 84 E. 26 " "
Lands barrow; Tumble Oak, Maple, &c.
80.00 Enter at the Meridian at the cor. of sec. 23, 24, 25
& 26. Lands broken; Tumble Oak, Dogwood, Aspens,

- North Return Sec. 22 & 23 T. 4. N. R. 5 W.
40.00 Set a 7th sap post from which a
B Jack. 6 in. dia: trees. South 100 limbs dia:
Lands barrow.
58.50 To a Run. 15 limbs dia: Corner W
75.50 To a Hickory 10 in. dia: in the line.
80.00 Set a post for the cor. of Sec. 14, 15, 22 & 23 from which
Hickory 12 in. dia: trees S 19 E. 140 lbs dia: & a

407

T. N. 4. N.R. N. 5 W. 2nd Mer. C. 1st

Gum 11 in. dia: trunk. N 6 E. 165 lbs ash;
Sand barren; Printer Heazle 13 Jack to 1300

East Return Sec. 14 & 23. T. 4. N.R. 5 W.

40.00 Set a 7/4 sec. post from which a

13 Jack 5 in. dia: trunk. S 84 W. 25 lbs ash; 13

No. 5 " " " N 80 E. 89 " "

Sand open barren; Heazle 1/2.

80.00 Intersect the N & S line at the post cor of sec. 13, 14
23 & 24 Sand barren tract, Printer 13 Jack 1/2

North Return Sec. 14 & 15 T. 4. N.R. 5 W.

40.00 Set a 7/4 sec post from which a

W Oak 3 in. dia: trunk. N 64 W 7 lbs ash; 13

13 Oak 4 " " " N 80 E. 8 " "

Sand broken; Last rate Printer small Oaks.

78.50 To a Creek 30 lbs mid. Course S.W.

80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which

Gum 18 in dia: trunk. S 18 E. 39 lbs ash; 13

Poplar 5 " " " N 72 E. 6 " "

Sand broken & poor

West Return Sec. 11 & 14 T. 4. N.R. 5 W.

34.50 To a Run 8 lbs mid, Course S.

40.00 Set a 7/4 sec post from which a

Heazle 15 in. dia: trunk. N 8 E. 48 lbs ash; 13

13 Oak 18 " " " S 52 E. 100 " "

Sand barren

79.00 To a Creek 25 lbs mid, Course S.W.

80.00 Intersect the N & S line at the cor of sec. 10, 11, 14 & 15

North Return Sec. 10 & 11 T. 4. N.R. 5 W.

40.00 Set a 7/4 sec. post from which a

P. 1^o H. N. R. N^o 5 W. 2nd Mo. Ind?

W. Oak 24 in. dia: trans. N33 E. 12 links sub; 7 g
 Ho. 24 " " " S18 E. 34 " "
 Sand broken 2nd rate; Timber Oak. 1/2.
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which a
 W. Oak 15 in. dia: trans. N81 E. 10 links sub; 1 g
 Ho. 18 " " " N30 W 32 " "
 Sand broken; 2nd rate; Timber Oak, Hick N. log.

East Return Sec. 2 & 11 I. H. N. R. 5 W.
 33.00 To a creek 30 links wide, Corner
 40.00 Set a 1/4 section post from which a
 W. Oak. 18 in. dia: trans. N53 E. 34 links sub; 1 g
 B. Walnut. 8 " " " S10 W. 38 " "
 57.16 Intersub the Indian Boundary line and set a post
 for the cor. of sec. 2 & 11 from which a
 W. Oak 10 in. dia: trans. East. 80 links sub a
 Ho. 10 " " " S73 W. 40 " sub
 Sand Broken; Timber Oak 1/2.

North Return Sec. 2 & 3 I. H. N. R. 5 W.
 19.90 Intersub the Indian Boundary line on a high ridge
 and set a post for the cor. of sec. 2 & 3 from which a
 B. Oak. 24 in. dia: trans. S44 W. 29 links sub; 1 g
 Ho. 30 " " " N30 E. 62 " "
 Timber Oak, Hick 1/2. Thursday, March 28.

409

T. N. 4. N.R. N. 5 W. 2nd Mer. Ind.

North Return Sec. 33 & 34 T. 4. N.R. 5 W.
 40.00 Set a 7/8 post from which
 B. Oak 30 in. dia. bears N 61 E. 53 1/2 mts; 1/2
 Sand hole barrens
 60.50 To a W Oak 18 in. dia. stands in the line.
 80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which
 B. Oak. 12 in. dia. bears N 58 W. 21 1/2 mts; 1/2
 Log 18 " " " N 53 E. 24 " "
 Sand hole; Timber Oak. 1/2

West Return Sec. 27 & 34 T. 4. N.R. 5 W.
 12.70 To a Run 6 links wide, Course S.
 38.00 To a Run. 10 " "
 40.00 Set a 7/8 post from which
 Hickory 6 in. dia. bears S 72 E. 27 1/2 mts; 1/2
 Log. 8 " " " S 84 W. 50 " "
 Sand broken; Timber Oak.
 80.00 Set a post for the N.E. line at the post cor. of sec. 27.
 28. 33 & 34

North Return Sec. 27 & 28 T. 4. N.R. 5 W.
 21.50 To a W Oak. 15 in. dia. in the line.
 40.00 Set a 7/8 post from which
 B. Oak. 5 in. dia. bears S 14 W. 54 1/2 mts; 1/2
 Log. 5 " " " N 71 W. 52 " "
 Sand hole Timber Oak, Hickory &c. 3rd or 4th rate
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from which
 W Oak. 18 in. dia. bears N 24 E. 120 1/2 mts; 1/2
 Log. 2 1/2 " " " N 48 W. 139 " "
 Sand hole barrens & wet.

East Return Sec. 22 & 27 T. 4. N.R. 5 W.
 20.25 To a Run. 3 links wide, Course S.

T. N. 4. N.R. N. 5 W. 2nd Mer. Sec.

- 40.00 Set a $\frac{7}{16}$ support from which on
 Elm 18 in. dia. truss N 68 E. 20 links dist; $\frac{1}{2}$
 W. Oak 7 $\frac{1}{2}$ " " S 42 W. 33 "
 Sand hole; Timber Oak $\frac{1}{2}$.
- 80.00 Intersect the N 15 line at the first cor. of sec 22, 23,
 26 & 27 Sand hole; Timber Oak $\frac{1}{2}$.
 Sand Barren

- North Between Sec. 21 & 22 T. 4. N.R. 5 W.
- 20.50 To a Run. 3 links wide, Course E.
- 40.00 Set a $\frac{7}{16}$ support from which on
 W. Oak. 20 in. dia. truss South 27 links dist; $\frac{1}{2}$
 W. Oak. 30 " " " S 25 W. 27 "
 Sand broken; Timber Oak $\frac{1}{2}$.
- 58.50 To a W. Oak 24 in. dia. in the line.
- 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which on
 W. Oak. 18 in. dia. truss. S 64 E. 31 links dist; $\frac{1}{2}$
 L. " " " S 37 W. 40 "
 Sand broken; Timber Oak & Hickory; 3rd rate land.

- East Between Sec. 15 & 22 T. 4. N.R. 5 W.
- 30.00 To a Run. 5 links wide Course S.
- 40.00 Set a $\frac{7}{16}$ support from which on
 Hickory 12 in. dia. truss. N 65 E. 11 links dist; $\frac{1}{2}$
 L. 5 " " " S 72 W. 31 "
 56.00 To a Run. 10 links wide, Course N.
- 80.00 Intersect the N 15 line at the first cor. of sec. 14, 15
 22 & 23.

- North Between Sec. 15 & 16 T. 4. N.R. 5 W.
- 27.60 To a Run 40 links wide, Course W.
- 40.00 Set a $\frac{7}{16}$ support from which on
 Swamp Oak 24 in. dia. truss. S 85 E. 22 links dist; $\frac{1}{2}$

T. N. 4. N.R. N. 5 W. 2nd Mer. Ind.

7.50 To a Run. 6 links mid, comes N.
 40.00 Set a post from which on
 Oak. 4 in. dia. trees. N 11 E. 41 links mid; &
 Gum 8 " " " S 86 E. 57 " "
 Sand barrens; Timber Oak, Hickory 1/2.
 80.00 Set out the N 15 W line at the post cor of Sec. 2, 3, 10.
 & 11. Saturday March. 30th

North Return Sec. 3 & 4. T. 4. N.R. 5 W.
 15.50 To a Run 10 links mid, comes W.
 40.00 Set a post from which on
 Hickory 15 in. dia. trees S 62 E. 21 links mid; &
 No. 24 " " " N 64 W. 41 " "
 Sand land; Timber Oak, Hickory, &c. 2nd rate land
 49.44 Set out the Indian Boundary line and set a post
 for the cor. of sec 3 & 4 from which
 Oak 20 in. dia. trees N 9 W. 27 links mid; &
 Hickory 12 " " " S 77 E. 33 " "
 Sand land; Timber Oak, Hickory

T. N. 4. N.R. N. 5 W. 2nd Mer. Sec.

North	Between Sec. 32 & 33. T. N. 4. N.R. 5 W.
40.00	Set a 7 th post from which W. Oak. 24 in. dia: trees S 24 W. 30 links dist; & a Loc. 20 " " " N 5 E. 40 " " Sand herb; Tamar Oak, Hickory & Hazle & other bushes very thick.
80.00	Set a post for the cor. of sec. 28, 29, 32 & 33 from which W. Oak. 24 in. dia: trees N 85 W. 148 links dist; & a Loc. 7 " " " N 19 E. 79 " " The timber on this note is mostly destroyed by fire A thick growth of Hazle, Sassafras &c.
West	Between Sec. 28 & 33. T. 4. N.R. 5 W.
40.00	Set a 7 th post from which Hickory 6 in. dia: trees N 86 E. 27 links dist; & a Loc. 14 " " " N 75 W. 29 " " Sand herb; Tamar Oak, Hickory &c.
80.00	Set out the N. S. line at the post cor. of sec. 28, 29, 32 & 33. Sand broken; Tamar Oak, Hickory &c.
North	Between Sec. 28 & 29. T. 4. N.R. 5 W.
28.50	Traverse 10 links wide, Corner S.W.
40.00	Set a 7 th post from which Hickory 8 in. dia: trees S 31 W. 30 links dist; & a W. Oak. 18 " " " N 87 E. 137 " " Sand broken; Tamar Oak, Hickory &c.
62.00	Traverse 10 links wide, Corner W.
80.00	Set a post for the cor. of sec. 20, 21, 28 & 29 from which a W. Oak. 18 in. dia: trees S 37 W. 34 links dist; & a Loc. 30 " " " N 81 E. 30 " " Sand herb; Tamar Oak, Hickory &c.
East	Between Sec. 21 & 28. T. 4. N.R. 5 W.

T. N^o 4. N.R. N^o 5 N. 2nd Mer. Ind.

40.00	Set a 7/4 post from which W Oak. 24 in. dia: bears S 37 N. 60 links end; & a No. 18 " " " N 21 N. 64 " " Sand barrens.
80.00	Intersect the NWS line at the post cor. of sec. 21. 22, 27 & 28. Tuesday April 2 nd 1805.
North	Return Sat. 26 & 21. T. 4. N.R. 5 N.
40.00	Set a 7/4 post from which W Oak. 36 in. dia: bears North 700 links end; Sand barrens.
80.00	Set a post for the cor. of sec. 16. 17. 20 & 21 from which Cum 18 in. dia: bears S 59 E. 25 links end; & a W Oak. 24 " " " N 31 N. 31 " " Sand barrens; Timber Oak, Hickory &c. The post in a creek bottom.
East	Return Sat. 16 & 21. T. 4. N.R. 5 N.
40.00	Set a 7/4 post from which B. Oak. 5 in. dia: bears S 26 N. 47 links end; & a No. " " " " N 73 E. 66 " " Creek bottom.
80.00	Intersect the NWS line at the post cor. of sec. 15. 16. 21 & 22. Well timbered Oak land Monday April 1 st .
North	Return Sat. 16 & 17. T. 4. N.R. 5 N.
9.50	To a creek. 45 links end, Corner N.
40.00	Set a 7/4 post from which W Oak. 5 in. dia: bears N 29 E. 19 links end; & a B. Oak. " " " " N 77 N. 14 " " Sand barrens; Timber Oak, Hickory &c.
80.00	Set a post for the cor. of sec. 8. 9. 16 & 17 from which B. Oak. 18 in. dia: bears S 39 E. 14 links end; & a

T. N. 4. N. R. N. 5 W. 2nd Mer. Ind.:

	W Oak. 24 in. diam. trees N 41 E. 34 links dist; Level upland; R. rate; Lumber Oak, Walnut, Hickory, Spice & Sassafras $\frac{1}{2}$.
West	Return Sep 9 & 16. T. 4. N. R. 5 W.
40.00	Set a 74 su. post from which a
	W Oak. 36 in. diam. trees N 48 E. 44 links dist; $\frac{1}{2}$ Hickory 8 " " " N 74 W. 12 " " Broken; Oak land;
80.00	Intersect the NRS line at the post cor. of sec. 8, 9, 16 & 17 Sand hill; Lumber Oak, Hickory $\frac{1}{2}$.
North	Return Sep 8 & 9 T. 4. N. R. 5 W.
5.00	To a Run 6 links wide, course W.
7.00	" " " 5 " " " "
40.00	Set a 74 su. post from which a
	W Oak. 7 in. diam. trees S 10 E. 33 links dist; & a Cypress 10 " " " N 82 W. 23 " " Sand broken; 2 nd rate; Lumber Oak, Hickory, Gum, Walnut, $\frac{1}{2}$
76.00	To a Run 6 links wide, course N. W.
80.00	Set a post for the cor. of sec. 4, 5, 8 & 9 from which a Hickory 12 in. diam. trees S 9 W. 30 links dist; & a ash 8 " " " N 79 W. 29 " " Sand very broken; Lumber Oak, Hickory $\frac{1}{2}$. 3 rd rate.
East	Return Sep 4 & 9. T. 4. N. R. 5 W.
40.00	Set a 74 su. post from which a
	W Oak. 24 in. diam. trees N 55 W. 50 links dist; & a H. 20 " " " S 59 E. 61 " " Sand broken; Lumber Oak, Hickory & Gum.
80.00	Intersect the NRS line at the post cor. of sec. 3, 4, 9 & 10 Sand hill; Lumber Oak, Sassafras, Spice. March 29.

T. N. 4. N.R. N. 5 W. 2nd Mer. Ind.

North	Return Sec. 4 & 5 T. 4. N.R. 5 W.
40.00	Set a 7/4 sa post from which Heiky 11 in. dia. trees N 1 W. 846 links out; V ₃ Lo. 9 " " " N 3 2/3 E. 770 " " Land broken; barrens. Timber Oak & V ₃ .
76.00	Enter out the N. Boundary at the post cor. of Sec. 32 & 33 T. 5 N.R. 5 W. Land barrens: Timber, Hazle, Sallapine & V ₃ .
North	Return Sec. 31 & 32 T. 4. N.R. 5 W.
40.00	Set a 7/4 sa post from which Heiky 12 in. dia. trees N 76 E. 530 links out; V ₃ Lo. 12 " " " S 82 E. 711 " " Land barrens; Open & wet.
64.50	To a Run. 6 links in, Corner W.
80.00	Set a post for the cor. of Sec. 29. 30. 31 & 32 from which B. Oak. 20 in. dia. trees S 65 E. 40 links out; V ₃ Lo. 12 " " " N 76 W. 69 " " Sand level barrens; Some Oak, Heiky.
West	Return Sec. 29 & 30 T. 4. N.R. 5 W.
40.00	Set a 7/4 sa post from which B. Oak. 15 in. dia. trees S 30 W. 50 links out; V ₃ Lo. 12 " " " N 39 W. 123 " " Land level; Timber Oak, Heiky & V ₃ barrens
80.00	Enter out the N. S. line at the post cor. of Sec. 29. 30. 31 & 32 Oak land and barrens.
North	Return Sec. 29 & 30 T. 4. N.R. 5 W.
40.00	Set a 7/4 sa post from which W. Oak 12 in. dia. trees S 85 E. 35 links out; V ₃ Heiky 8 " " " N 82 W. 257 " " Open level barrens 3 rd water land

47

T. N. 4. N.R. N. 5 W 2nd Mer. Ind.

80.00 Set a post for the cor. of sec 19, 20, 29 & 30 from which
 B. Oak 18 in. dia. trees N 56 E. 135 links curb; V₂
 " 18 " " " N 44 W. 249 " "
 Sand prairie, wet; Grass & Miller

East Return Sec. 20. & 29 T. 4. N.R. 5 W.

40.00 Set a 7/8 post from which
 B. Oak. 24 in. dia. trees S 11 W. 25 links curb; V₂
 Hick 8 " " " N 58 E 32 " "
 Sand prairie; some Oak, Hick & V₂.

80.00 Intersect the N 58 line at the post cor. of sec. 20, 21, 28,
 & 29 Sand prairie & some Oak, Hick & V₂ in places

North Return Sec. 19 & 20. T. 4. N.R. 5 W.

25.00 To a Mon. 50 links wide, corner S W.

40.00 Set a 7/8 post from which
 B. Oak. 24 in. dia. trees S 47 W. 490 links curb; V₂
 Sand prairie.

80.00 Set a post for the cor. of sec. 17, 18, 19 & 20. from which
 W. Oak. 18 in. dia. trees. S 17 W. 21.50 links curb; V₂
 Sand & herb prairie.

East Return Sec. 17 & 20 T. 4. N.R. 5 W.

40.00 Set a 7/8 post from which
 B. Oak. 12 in. dia. trees. N 38 E. 49 links curb; V₂
 " 18 " " " S 47 W. 50 " "
 Sand & herb prairie & Oak Land.

70.00 To a Crak 57 links wide, corner S W.

80.00 Intersect the N 58 line at the post cor. of sec. 16, 17, 20
 & 21. Good Oak land & Crak bottom.

North Return Sec. 17 & 18 T. 4. N.R. 5 W.

40.00 Set a 7/8 post from which

T. N. 4. N.R. N. 57. 2nd Mer. Ind.

W Oak 20 in. diam. bears N 74 E. 9.13 links out; & a
 No. 18 " " " N 68 E. 9.13 " "
 Sand dry prairie 2nd rate;
 80.00 Set a post for the cor. of sec. 7, 8, 17, & 18 from which a
 Hickory 18 in. diam. bears N 61 W. 25 links out; & a
 No. 10 " " " S 11 W. 33 " "
 Sand 2nd rate prairie.

West Return Sec. 8 & 17 T. 4. N.R. 57.
 40.00 Set a 7/8 post from which a
 Hickory 6 in. diam. bears S 13 W. 87 links out; & a
 No. 8 " " " N 31 W. 136 " "
 Sand herb; Timber Oak, Hickory &.
 80.00 Intersect the N & S line at the post cor. of sec. 7, 8, 17 & 18
 Sand herb barrens.

North Return Sec. 7 & 8 T. 4. N.R. 57.
 40.00 Set a 7/8 post from which a
 Hickory 18 in. diam. bears South 13 links out; & a
 No. 24 " " " North 112 " "
 Sand 3rd rate barrens.
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8 from which a
 Hickory 14 in. diam. bears N 39 W. 25 links out; & a
 No. 9 " " " N 34 E. 52 " "
 Sand herb barrens. with some Hickory & Oak.

West Return Sec. 5 & 8 T. 4. N.R. 57.
 40.00 Set a 7/8 post from which a
 Hickory 8 in. diam. bears N 19 W. 53 links out; & a
 No. 10 " " " S 24 E. — " "
 80.00 Intersect the N & S line at the post cor. of sec. 5, 6, 7 & 8.
 Sand herb; Timber Oak, Hickory, Castor, Maple
 Last 1/2 mile line barrens. Timber Oak Hickory &

419

T. N. 4. N.R. N. 5 W. D. M. Ind. 5

North	Return Lat. 576. T. 4. N.R. 5 W.
40.00	Set a 7/8 post from which
	W. Oak. 24 in. diam. trees. N 89 E. 44 links dist; 1/2
	W. Oak. 24 " " " S 127 W. 100 " "
	Sand-hob; Timber Hickory Oak &c.
62.00	Traverse 170 links wide, corner N.W.
74.00	Enter cut the N. Boundary at the post cor. of sec. 31 & 32
	T. 5 N.R. 5 W.
	Sand-hob; Timber, Oak, Hickory &c.
West	Return Lat. 30 & 31 T. 4. N.R. 5 W.
40.00	Set a 7/8 post from which
	W. Oak. 14 in. diam. trees. N 26 W. 42 links dist; 1/2
	Do. 15 " " " S 17 W. 75 " "
	Sand-hob prairie & barrens. Timber Oak, Hickory &c.
86.18	Enter cut the West Boundary 6.58 links North of the
	post cor. of sec. 25 & 36 T. 4. N.R. 6 W.
West	Return Lat. 19 & 30. T. 4. N.R. 5 W.
40.00	Set a 7/8 post from which
	Sum. 6 in. diam. trees. N 55 W. 5 links dist; 1/2
	W. Oak. 18 " " " S 48 W. 10 " "
	Sand prairie
44.30	Traverse 50 links wide, corner N.E.
87.00	Enter cut the West Boundary 76 links North of the post
	cor. of sec. 24 & 25 T. 4. N.R. 6 W.
	Sand prairie land; Timber & Creek bottom.
West	Return Lat. 18 & 19 T. 4. N.R. 5 W.
40.00	Set a 7/8 post from which
	Swamp Oak. 10 in. diam. trees. N 11 E. 80 links dist; 1/2
	W. Oak. 6 " " " N 44 E. 56 " "
	Sand-hob prairie.

T. N. 4 N. R. 5 W 2nd M. S. 2nd

88.75 Enter cut the West Boundary 600 links North of the
post cor. of Sec. 13 & 24 T. 4 N. R. 6 W.
Set a Prairie Hammel.

Nest Between Sec. 7 & 18 T. 4 N. R. 5 W.
40.00 Set a 74 support from which
Heik 75 in. dia. beam. N 10 E. 140 links due; 1st
B. Oak. 20 " " " 448 E. 320 " "
Said to be Timber Oak, Heik 75, but little timber.
89.00 Enter cut the West Boundary 725 links North of the
post cor. of Sec. 13 & 24 T. 4 N. R. 6 W.

~~Nest Between Sec. 6 & 7 T. 4 N. R. 5 W.
40.00 Set a 74 support from which
Heik 78 in. dia. beam. N 9 W. 53 links due; 1st
L. 10 " " "~~

Nest Between Sec. 6 & 7 T. 4 N. R. 5 W.
7.75 To a Run 6 links wide, across S
40.00 Set a 74 support from which
Heik 78 in. dia. beam. N 44 W. 50 links due; 1st
L. 12 " " " 717 N. 69 " "
89.10 Enter cut the West Boundary 932 links North of
the post cor. of Sec. 1 & 12 T. 4 N. R. 6 W.
Said to be Grassy Oak. Heik 75.
Surveyed by
David Sanford 1881

T. N^o 4. N.R. N^o 5 N. 2nd Mer. Ind.

I certify that the foregoing transcript of the
field notes of Township N^o 4. North of Range
N^o 5 West of the 2nd Principal Meridian, in
Indiana has been compared with the original
notes in this Office and found to be correct.

Surveyor General's Office.

Cincinnati May 18th 1841

E. S. Haines
Sur. Genl.